

SAFETY DATA SHEET
LOW PRESSURE POLYURETHANE FOAM
SFI-175 B-SIDE COMPONENT CYLINDER (134a)



SECTION 1- IDENTIFICATION

1.1 Product Identifier

Product Name: SFI-175 B-side, Cylinder

ID SDS: 3060928

Product Identification: 62480581503, 62484882501, 62480583004, 62480586007

1.2 Relevant identified uses of the substance or mixture and uses advised against:

General Use Low pressure Polyurethane Foam Adhesive, Side-B Component, for PROFESSIONAL USE ONLY

Uses advised against No further information available

1.3 Details of the supplier and of the safety data sheet:

Manufacturer ICP Adhesives & Sealants

2775 Barber Road

Norton, Ohio 44203

In Ohio: 330-753-4585; 1-800-321-5585 (Monday-Friday, 8:00 am – 5:00pm EST)

1.4 Emergency telephone numbers:

In the U.S.A CHEMTREC (24 hours) 1-800-424-9300

International CHEMTREC (24 hours) 1-703-527-3887

SECTION 2- HAZARDS IDENTIFICATION

2.1 Classification of substance or mixture

Product definition: Mixture

Classification:

Serious Eye Damage/Irritation: Category 1

Skin Corrosion/Irritation: Category 2

Specific Target Organ Toxicity (single exposure): Category 2

2.2 Label elements

Labeling (Regulation (EC) No 1272/2008)

Hazard Symbols:



Signal Word:

DANGER

Hazard Statements:

H318 Causes serious eye damage

H315 Causes skin irritation

H371 May cause damage to organs: cardiovascular system

Prevention:

P260 Do not breathe dust/fume/gas/mist/vapours/spray

P264 Wash thoroughly after handling

P270 Do not eat, drink, or smoke when using this product

P280 Wear eye/face protection

Response:

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P302+P352+P332+P314 IF ON SKIN: Wash with plenty of soap and water. If irritation occurs: Get medical advice/attention.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P311 IF exposed: Call a POISON CENTER or doctor/physician

Storage:

P405 Store locked up

Disposal:

P501 Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

2.3 Hazards otherwise not classified

May cause chemical gastrointestinal burns.

32% of the mixture consists of ingredients of unknown acute oral toxicity

32% of the mixture consists of ingredients of unknown acute dermal toxicity

SECTION 3-COMPOSITION/ INFORMATION ON INGREDIENTS**3.1 Substances**

Not applicable

3.2 Mixtures

Chemical characterization (preparation):

% by Weight	Ingredient	CAS No.
60-80*	Proprietary Polyol Blend	Trade Secret*
20-25*	1,1,1,2- Tetrafluoroethane	811-97-2
5-10*	Chlorophosphate Flame Retardant	Trade Secret*
5-7*	Propylene Carbonate	108-32-7
1-5*	Surfactant	Trade Secret*
1-5*	Aliphatic Amine	Trade Secret*
<2*	Water	7732-18-5
<0.5*	Ethylene Glycol	107-21-1
<0.3*	Isopropenylbenzene	98-83-9

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

SECTION 4- FIRST AID MEASURES**4.1 Description of first aid measures**

Inhalation: Remove person to fresh air. Get medical attention.

Eye: Immediately flush eyes with large amounts of water for at least 15 minutes, holding the eyes open with fingers and occasionally lifting the upper and lower lids. Use lukewarm water if possible. If present and easy to do, remove contact lenses. If irritation persists, get medical attention.

Skin: Flush skin with large amounts of water while removing contaminated clothing. Gently wipe product from skin with a damp cloth and continue rinsing for 15 minutes. Wash clothing before reuse. Call a physician if irritation persists.

Ingestion: If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

4.3 Notes to the physician

If case of an accident or if you feel unwell, seek medical advice immediately (show label or SDS if possible). Exposure may increase myocardial irritability. Do not administer sympathomimetic drugs unless absolutely necessary.

SECTION 5- FIRE FIGHTING MEASURES**5.1 Extinguishable media**

Suitable methods of extinction: Use dry chemical, carbon dioxide, alcohol resistant foams and water spray

Unsuitable methods of extinction: None

5.2 Special hazards arising from the substance or mixture

Cylinders may explode due to the buildup of pressure when exposed to extreme heat. Highly toxic gases may be generated by thermal decomposition or combustion. Overexposure to decomposition products may cause a health hazard. Symptoms may not be immediately apparent or may be delayed. Hazardous decomposition products: Carbon monoxide, Carbon dioxide, Aldehydes, Oxides of Nitrogen.

5.3 Advice for firefighters

Keep upwind of fire. Wear full fire-fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). Use water spray to keep fire-exposed containers cool.

SECTION 6- ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures**

Wear personal protective equipment recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice.

6.2 Environmental precautions

Avoid dispersal of spilled material or run-off and prevent contact with soil and entry into drains, sewers or waterways.

6.3 Methods and materials for containment and cleaning up

Cover drains and contain spill. Cover spilled material with a large quantity of inert absorbent. Collect material and place into an approved, open-head metal container. Clean contaminated area with soap and water.

6.4 Reference to other sections

For indications about waste treatment, see Section 13

SECTION 7- HANDLING AND STORAGE**7.1 Precautions for safe handling**

For industrial or professional use only. Observe label precautions. Do not breathe dust/fume//gas/mist/vapors/spray. Wear all appropriate protective equipment specified in Section 8. Keep cylinders closed when not in use.

Advice on protection against fire and explosion

Chemicals under pressure. Exposure to high temperatures can cause containers to rupture or explode.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry, well-ventilated area and away from incompatible materials (see Section 10.5). Do not store at temperatures above 95°F (35°C) or below 45°F (7.2°C). Do not expose the cylinders to open flame or temperatures above 122°F (50°C); storage at elevated temperatures can cause the container to rupture. Excessive heat can cause premature aging of components resulting in a shorter shelf life. Protect containers from physical abuse. Always store the containers in the upright position.

SECTION 8- EXPOSURE CONTROLS/ PERSONAL PROTECTION**8.1 Control Parameters**

Ingredient	CAS Number	OSHA-PEL	ACGIH-TLV	Other
Ethylene Glycol	107-21-1		CEIL (as aerosol): 100 mg/m ³	
1,1,1,2 Tetrafluoroethane	811-97-2			WEEL 1,000 ppm AIHA TWA 4240 mg/m ³
Isopropenylbenzene	98-83-9	CEIL 480 mg/m ³ (100 ppm)	TWA 10 ppm	

8.2 Exposure controls:

Engineering Controls: Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

Eye/face Protection: Recommend full face shield and indirect vented goggles

Hand Protection: Use chemically resistant gloves (i.e. Nitrile gloves). Nitrile/butadiene rubber, butyl rubber, polyethylene, PVC (vinyl), or neoprene gloves are also effective. Glove selection should take into account potential body reactions to certain materials and manufacturer's instructions for use. Break through time of selected gloves must be greater than the intended use period.

Other Protective Equipment: Use clothing that protects against dermal exposure. Appropriate protective clothing varies depending on the potential for exposure. To ensure proper skin protection, wear PPE in such a manner that no skin is exposed.

Respiratory Protection: An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type (s) to reduce inhalation exposure: Half face piece or full face piece air-purifying respirator suitable for organic vapors and particulates. Half face piece or full face piece supplied-air respirator. For questions about suitability for a specific application, consult with your respirator manufacturer.

Hygiene Measures: An eye wash station or portable eye wash station should be in the area. Wash hands thoroughly after use, before eating, drinking or using the lavatory. Employees/Users should be educated and trained in the safe use and handling of this product.

SECTION 9- PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties	
General Physical Form	Liquid. Forms an off-white to yellowish froth when released from the container
Odor	Slight fluorocarbon odor
Odor Threshold	No data available
pH	No data available
Melting Point/Freezing Point	No data available
Initial Boiling Point and Boiling Range	0°F
Flash Point	425°F
Evaporation Rate	No data available
Flammability	No applicable
Lower Flammability/Explosive Limit	Not available
Upper Flammability/Explosive Limit	Not available
Vapor Pressure	<2500 mmHg @ 25°C
Vapor Density	>1
Relative Density/Specific Gravity	~ 1.1 @ 25°C (Water = 1)
Solubility	Water: slight less than 10%
Partition coefficient: n-octanol/water	No data available
Auto-ignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity	No data available
Oxidizing Properties	Not available
VOC Content (calculated minus exempt compounds)	Calculated at around 40 g/L, calculated SCAQMD rule 443.1 19 g/L when mixed as intended with Part A, calculated SCAQMD rule 443.1

SECTION 10- STABILITY AND REACTIVITY

10.1 Reactivity

This material may be reactive with certain agents under certain conditions- see remaining headings in this section.

10.2 Chemical stability

Stable under normal conditions of use and recommended storage conditions. See Section 7 for storage recommendations.

10.3 Possibility of hazardous reactions

Exposure to elevated temperatures can cause containers to rupture or explode. Chemicals are under pressure.

10.4 Conditions to avoid

Avoid heat and flames.

10.5 Incompatible materials

Strong acids, strong oxidizing agents and alkali and alkaline earth metals.

10.6 Hazardous decomposition products

None known.

Refer to section 5.2 for hazardous decomposition products during combustion

SECTION 11- TOXICOLOGICAL INFORMATION

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. May cause additional health effects (see below)

Skin Contact:

Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, cracking, blistering, and pain.

Eye Contact:

Corrosive (Eye Burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

Ingestion:

Gastrointestinal Corrosion: Signs/symptoms may include severe mouth, throat and abdominal pain; nausea; vomiting; and diarrhea; blood in the feces and/or vomitus may also be seen.

Additional Health Effects:**Single exposure may cause target organ effects:****Single exposure, above recommended guidelines, may cause:**

Cardiac Sensitization: Signs/symptoms may include irregular heartbeat (arrhythmia), faintness, chest pain, and may be fatal.

Carcinogenicity:

Name	CAS No.	Class Description	Regulation
Isopropenylbenzene	98-83-9	Grp 2B: Possible human care	IARC

Toxicological Data

If the component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data is not sufficient for classification.

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE > 5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE > 5,000 mg/kg
1,1,1,2-Tetrafluoroethane	Inhalation- Gas (4 hours)	Rat	LC50 > 359,300 ppm
Chlorophosphate Flame Retardant	Dermal	Rabbit	LD50 > 2,000 mg/kg
Chlorophosphate Flame Retardant	Inhalation- Dust/Mist (4 hours)	Rat	LC50 estimated to be 5-12.5 mg/l
Chlorophosphate Flame Retardant	Ingestion	Rat	LD50 >1,101 mg/kg
Propylene Carbonate	Ingestion	Rat	LD50 estimated to be >5,000 mg/kg
Propylene Carbonate	Dermal	Rabbit	LD50 >3,000 mg/kg
Surfactant	Dermal	Rabbit	LD50 < 1,780 mg/kg
Surfactant	Ingestion	Rat	LD50 689 mg/kg
Isopropenylbenzene	Dermal		LD50 estimated to be >5,000 mg/kg
Isopropenylbenzene	Inhalation- Dust/Mist		LC50 estimated to be >12.5 mg/l
Isopropenylbenzene	Inhalation- Vapor		LC50 estimated to be >50 mg/l
Isopropenylbenzene	Ingestion		LD50 estimated to be >5,000 mg/kg
Ethylene Glycol	Ingestion	Human	LD50 1,600 mg/kg
Ethylene Glycol	Inhalation- Gas (4 hours)	Other	LC50 estimated to be 5-12.5 mg/l
Ethylene Glycol	Dermal	Rabbit	LD50 9,530 mg/kg

Skin Corrosion/Irritation

Name	Species	Value
1,1,1,2-Tetrafluoroethane	Rabbit	No significant irritation
Chlorophosphate Flame Retardant	Rabbit	Minimal irritation

Propylene Carbonate	Rabbit	Severe irritant
Ethylene Glycol	Rabbit	Mild irritant

Serious Eye Damage/Irritation

Name	Species	Value
1,1,1,2-Tetrafluoroethane	Rabbit	No significant irritation
Chlorophosphate Flame Retardant	Rabbit	No significant irritation
Propylene Carbonate	Rabbit	Severe irritant
Ethylene Glycol	Rabbit	Mild irritant

Skin Sensitization

Name	Species	Value
Ethylene Glycol	Human	Some positive data exist, but the data are not sufficient for classification

Respiratory Sensitization

For the component(s) either no data are currently available or the data are not sufficient for classification

Germ Cell Mutagenicity

Name	Route	Value
Ethylene Glycol	In vitro	Not mutagenic
Ethylene Glycol	In vivo	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
Ethylene Glycol	Ingestion	Multiple	Not carcinogenic

Reproductive Toxicity

Name	Route	Value	Species	Test Result	Exposure Duration
Chlorophosphate Flame Retardant	Ingestion	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 99 mg/kg/day	2 generation
Ethylene Glycol	Ingestion	Not toxic to female reproduction	Multiple animal species	NOAEL 1,000 mg/kg/day	2 years
Ethylene Glycol	Ingestion	Not toxic to male reproduction	Multiple animal species	NOAEL 1,000 mg/kg/day	2 years
Ethylene Glycol	Dermal	Some positive data exist, but the data are not sufficient for classification	Mouse	NOAEL 3,549 mg/kg/day	During organogenesis
Ethylene Glycol	Ingestion	Some positive data exist, but the data are not sufficient for classification	Mouse	LOAEL 750 mg/kg/day	During organogenesis
Ethylene Glycol	Inhalation	Some positive data exist, but the data are not sufficient for classification	Mouse	NOAEL 1,000 mg/kg/day	During organogenesis

Target Organ(s)**Specific Target Organ Toxicity- single exposure**

Name	Route	Target organ	Value	Species	Test Result	Exposure Duration
1,1,1,2-Tetrafluoroethane	Inhalation	Cardiac sensitization	May cause damage to organs	Dog	NOAEL 40,000 ppm	5 minutes
Chlorophosphate Flame Retardant	Inhalation	Nervous system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL Not Available	4 hours
Chlorophosphate Flame Retardant	Ingestion	Nervous system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL Not Available	
Ethylene Glycol	Ingestion	Heart/nervous system/kidney and/or bladder/respiratory system	Causes damage to organs	Human	NOAEL Not Available	Poisoning and/or abuse
Ethylene Glycol	Ingestion	Central nervous system depression	May cause drowsiness or dizziness	Human	NOAEL Not Available	Poisoning and/or abuse

Ethylene Glycol	Ingestion	Liver	Some positive data exist, but the data are not sufficient for classification	Human	NOAEL Not Available	Poisoning and/or abuse
-----------------	-----------	-------	--	-------	---------------------	------------------------

Specific Target Organ Toxicity- repeated exposure

Name	Route	Target organ	Value	Species	Test Result	Exposure Duration
Ethylene Glycol	Ingestion	Kidney/and or bladder /vascular system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 200 mg/kg/day	2 years
Ethylene Glycol	Ingestion	Heart/ hematopoietic system/ liver/ immune system/ muscles	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 1,000 mg/kg/day	2 years
Ethylene Glycol	Ingestion	Respiratory system	Some positive data exist, but the data are not sufficient for classification	Mouse	NOAEL 12,000 mg/kg/day	2 years
Ethylene Glycol	Ingestion	Skin/ endocrine system/ bone, teeth, nails, and/or hair/ nervous system/ eyes	All data are negative	Multiple animal species	NOAEL 1,000 mg/kg/day	2 years

Aspiration Hazard

For the component(s) either no data are currently available or the data are not sufficient for classification

SECTION 12- ECOLOGICAL INFORMATION**Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 13- DISPOSAL CONSIDERATIONS**13.1 Waste Treatment Methods****Procedure for handling empty refill cylinders:**

THESE TANKS ARE RETURNABLE. These tanks are shipped back to ICP Adhesives & Sealants to be cleaned, refilled and redistributed. For return instructions please call Customer Care at 330.753.4585

SECTION 14- TRANSPORTATION

Note: Transportation information is for reference only. Customer is urged to consult 49 CFR 100-177, IMDG, IATA, EC, United Nations TDG and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping

	Containers Greater Than 1000 cu. cm. (1 liter)
Ground	UN3500 Chemicals Under Pressure n.o.s. (1,1,1,2-Tetrafluoroethane) 2.2 (Non-Flammable Gas Label)
Air	UN3500 Chemicals Under Pressure n.o.s. (1,1,1,2-Tetrafluoroethane) 2.2 (Non-Flammable Gas Label) Packing Instruction (Cargo & Passenger) 218
Water	UN3500 Chemicals Under Pressure n.o.s. (1,1,1,2-Tetrafluoroethane) 2.2 (Non-Flammable Gas Label)

SECTION 15- REGULATORY

15.1 Safety, health, and environmental regulations/legislations specific for the substance or mixture

U.S. Federal Regulations:

OSHA Hazard Communication Standard: This material is classified as hazardous in accordance with OSHA 29 CFR 1910-1200

TSCA Status: All components of this product are listed on the Toxic Substance Control Act (TSCA) Inventory.

Superfund Amendments and Reauthorization Act (SARA)

SARA Section 311/312 Hazard Categories:

Fire Hazard- No Pressure Hazard-Yes Reactivity Hazard- Yes Immediate Hazard- Yes Delayed Hazard- Yes

SARA 313 Information: No components of the product are subject to reporting levels established by Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986.

SARA 302/304 Extremely Hazardous Substance: No components of the product exceed the threshold (de minimis) reporting levels established by these sections of the Title III of SARA.

SARA 302/304 Emergency Planning & Notification: No components of the product exceed the threshold (de minimis) report levels established by these sections of the Title III of SARA.

Comprehensive Response Compensation and Liability Act (CERCLA): None of the substances in this product are contained in levels that exceed the threshold (de minimis) reporting levels established by CERCLA

Clean Air Act (CAA) – This product does not have any components listed as a Hazardous Air Pollutant (HAP) designated in CAA Section 112 (b). This product does not contain any Class 1 or Class 2 Ozone depleters.

Clean Water Act (CWA) – This products does not have any components listed as a Hazardous Substance under the CWA. None of the chemicals in these products are listed as Priority Pollutants under the CWA. None of the chemicals listed in these products are listed as Toxic Pollutants under the CWA.

U.S. State Regulations:

California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986: This product contains trace amount of substances known to the State of California to cause cancer or other reproductive harm.

Other U.S. State Inventories:

1,1,1,2- Tetrafluoroethane (CAS #811-97-2) is listed on the following State Hazardous Substance Inventories, Right-to-Know lists and/or Air Quality/Air Pollutants lists: ME, WI

SECTION 16- OTHER

NFPA: Health Hazard 3; Flammability 1; Reactivity 0

Hazard Rating: 0=minimal, 1= slight, 2=moderate, 3=severe, 4= extreme

The information and recommendations set forth herein are presented in good faith and believed to be correct as of the date hereof. The manufacturer makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving it will make their own determination as to its suitability for their purposes prior to use. In no event will the manufacturer be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information. No representations or warranties, either expressed or implied, of merchantability or fitness for a particular use are made hereunder with respect to this information or the product to which information refers.

Information contained herein is deemed to be reliable, conservative and accurate. ICP Adhesives & Sealants reserves the right to change the design, specifications or any other features at any time and without notice, while otherwise maintaining regulatory compliance.

Revision- May 17, 2016 (Date of Preparation) Version 2.0