

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 13 August 2018 Version: 1.0

SECTION 1: Identification

1.1. Product identifier

Product form : Mixture

Trade name : Water based intumescent paint for foam plastic

Product code : DC315

1.2. Recommended use and restrictions on use

Recommended uses and restrictions : Fireproof coating for foam plastic

1.3. Supplier

Master Pack

32302 Camino Capistrano Suite 201 San Juan Capistrano, CA 92675

T 949-487-2068 sales@masterpkg.com

1.4. Emergency telephone r umber

Emergency number : CHEMTREC 1-800-424-9300

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS-CA)

Acute toxicity (oral), Category 4 Harmful if swallowed. Serious eye damage/eye irritation, Category 2B Causes eye irritation

2.2. GHS Label elements, including precautionary statements

GHS-CA labelling

Hazard pictograms (GHS-CA)



Signal word (GHS-CA) : Warning

Hazard statements (GHS-CA) : Harmful if swallowed.

Causes eye irritation

Precautionary statements (GHS-CA) : Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

IF SWALLOWED: Call a doctor, a POISON CENTER if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Rinse mouth.

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container to local, national, and international regulation

2.3. Other hazards not contributing to the classification

other hazards which do not result in

classification

: Titanium dioxide is in a form that is not available for respiration.

2.4. Unknown acute toxicity (GHS-CA)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS-CA)
Ammonium polyphosphate	Polyphosphoric acids, ammonium salts	(CAS-No.) 68333-79-9	20 - 30	Acute Tox. 4 (Oral), H302 Eye Irrit. 2B, H320

13 August 2018 Page 1

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS-CA)
Titanium dioxide	C.I. 77891 / C.I. Pigment White 6 / Titanium oxide (TiO2) / CI 77891 / Titanium(IV) oxide / C.I. Pigment White 7 / Pigment White 6 / Titanium dioxide nanoparticles / TITANIUM DIOXIDE / Titanium oxide	(CAS-No.) 13463-67-7	10 - 20	Carc. 2, H351

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

Description of first aid measures

First-aid measures after inhalation

: Move the affected person away from the contaminated area and into the fresh air. Get medical

advice/attention if you feel unwell.

First-aid measures after skin contact

Remove affected clothing and wash all exposed skin area with mild soap and water, followed

by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact

Rinse immediately with plenty of water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion Rinse mouth. Do NOT induce vomiting. Get medical advice/attention.

Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : May cause slight temporary irritation.

: Causes eye irritation. Symptoms/effects after eye contact Symptoms/effects after ingestion : Harmful if swallowed.

Immediate medical attention and special treatment, if necessary

Note to physician: : Treat symptomatically.

SECTION 5: Fire-fighting measures

Suitable extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media

Unsuitable extinguishing media : None known.

Specific hazards arising from the hazardous product

Fire hazard

Explosion hazard

: The product is not flammable. Supports combustion. On combustion forms: Carbon oxides (CO, CO2). Nitrogen oxides. Metal oxides.

: Risk of explosion if heated under confinement.

Special protective equipment and precautions for fire-fighters

Firefighting instructions

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protective equipment for firefighters

Do not enter fire area without proper protective equipment, including respiratory protection. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures

: Avoid contact with eyes. Avoid breathing mist, vapours. Spilled material may present a slipping hazard.

Personal Precautions, Protective Equipment and Emergency Procedures

: Evacuate unnecessary personnel. Wear recommended personal protective equipment. Equip cleanup crew with proper protection. Use self-contained breathing apparatus. For further information refer to section 8: "Exposure controls/personal protection". Ventilate area.

Prevention Measures for Secondary Accidents

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public

Methods and materials for containment and cleaning up

Methods for cleaning up

: Small spills: Stop leak if safe to do so. Dilute with plenty of water. Absorb remaining liquid with sand or inert absorbent and remove to safe place. Dispose of at a licensed waste collection centre. In case of large spillages: Approach from upwind. Wash contaminated area with large amounts of water. Consult an expert on waste disposal or treatment. For further information refer to section 13. See Heading 1. Emergency telephone number.

Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

13 August 2018 2/6

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with eyes. Provide good ventilation in process area to prevent formation of

vapour. Avoid breathing mist, vapours.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Incompatible

materials. Keep container closed when not in use.

Incompatible materials : Strong acids. alkalis. Oxidizing agent. Organic solvents.

Storage temperature : ≈ 5 - 35 °C (Use up as soon as possible after opening the lid)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Titanium dioxide (13463-67-7)			
USA - ACGIH	ACGIH TWA (mg/m³)	10 mg/m³	
USA - ACGIH	Remark (ACGIH)	LRT irr; A4	
USA - ACGIH	Regulatory reference	ACGIH 2018	
Canada (Quebec)	VEMP (mg/m³)	10 mg/m³ (containing no Asbestos and <1% Crystalline silica-total dust)	
Alberta	OEL TWA (mg/m³)	10 mg/m³	
British Columbia	OEL TWA (mg/m³)	10 mg/m³ (total dust)	
Manitoba	OEL TWA (mg/m³)	10 mg/m³	
New Brunswick	OEL TWA (mg/m³)	10 mg/m³	
New Foundland & Labrador	OEL TWA (mg/m³)	10 mg/m³	
Nova Scotia	OEL TWA (mg/m³)	10 mg/m³	
Nunavut	OEL STEL (mg/m³)	20 mg/m³	
Nunavut	OEL TWA (mg/m³)	10 mg/m³	
Northwest Territories	OEL STEL (mg/m³)	20 mg/m³	
Northwest Territories	OEL TWA (mg/m³)	10 mg/m³	
Ontario	OEL TWA (mg/m³)	10 mg/m³	
Prince Edward Island	OEL TWA (mg/m³)	10 mg/m³	
Saskatchewan	OEL STEL (mg/m³)	20 mg/m³	
Saskatchewan	OEL TWA (mg/m³)	10 mg/m³	
Yukon	OEL STEL (mg/m³)	20 mg/m³	
Yukon	OEL TWA (mg/m³)	30 mppcf	

8.2. Appropriate engineering controls

Appropriate engineering controls

: Ensure adequate ventilation. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Impermeable protective gloves. Protective gloves made of rubber or PVC

Eye protection:

Chemical goggles or safety glasses

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. If the occupational exposure limit is exceeded: Wear a self contained breathing apparatus. suitable respiratory equipment (breathing apparatus with filter)

Other information:

Do not eat, drink or smoke during use.

13 August 2018 3/6

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : No data available Colour : white Grey

Odour : characteristic Emulsion
Odour threshold : No data available

pH : 6 - 8

Relative evaporation rate (butylacetate=1) : No data available Relative evaporation rate (ether=1) : No data available Melting point : No data available Freezing point : No data available

Boiling point : $> 100 \, ^{\circ}\text{C}$

Flash point : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Not applicable
Vapour pressure : No data available
Vapour pressure at 50 °C : No data available
Relative density : No data available

Density : 1.35±0.1 (Specific gravity)

Solubility : Miscible with water.

Log Pow : No data available

Viscosity, dynamic : 8000 - 20000 cP

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity : Stable under normal conditions of use.

Chemical stability : Stable under normal conditions of use.

Possibility of hazardous reactions : Hazardous polymerization will not occur.

Conditions to avoid : None known.

Incompatible materials : Strong acids. Organic solvents. alkalis. Oxidizing agent.

Hazardous decomposition products : On combustion forms: Nitrogen oxides. Carbon oxides (CO, CO2). Metal oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Respiratory or skin sensitization

Germ cell mutagenicity

Carcinogenicity

Acute toxicity (oral) : Oral: Harmful if swallowed.

Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

ATE CA (oral) 1508 mg/kg bodyweight

Ammonium polyphosphate (68333-79-9)		
LD50 oral rat	300 - 2000 mg/kg	
Titanium dioxide (13463-67-7)		
LD50 oral rat	> 10000 mg/kg	
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: 6 - 8	
Serious eye damage/irritation	: Causes eye irritation. pH: 6 - 8	

: Not classified (Based on available data, the classification criteria are not met)

Not classified (Based on available data, the classification criteria are not met)Not classified. (Based on available data, the classification criteria are not met)

13 August 2018 4/6

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Water based intumescent paint for foa	m plastic
Additional information	Titanium dioxide is in a form that is not available for respiration
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
Symptoms/effects after skin contact	: May cause slight temporary irritation.
Symptoms/effects after eye contact	: Causes eye irritation.
Symptoms/effects after ingestion	: Harmful if swallowed.
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.

SECTION 12: Ecological information

12.1. Toxicity

Ammonium polyphosphate (68333-79-9)	
LC50 fish 1	> 500 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
LC50 fish 2	123 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])

12.2. Persistence and degradability

Water based intumescent paint for foam plas		iic
	Persistence and degradability	Not established.

12.3. Bioaccumulative potential

Water based intumescent paint for foam plastic	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Ozone : Not classified (Based on available data, the classification criteria are not met)

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of contents/container to comply with applicable local, national and international regulation, a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

SECTION 14: Transport information

14.1. Basic shipping description

In accordance with TDG

Transportation of Dangerous Goods

Not regulated for transport

14.2. Transport information/DOT

Department of Transport

Not regulated for transport

14.3. Air and sea transport

IMDG

Not regulated for transport

IATA

Not regulated for transport

13 August 2018 5/6

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 15: Regulatory information

15.1. National regulations

Ammonium polyphosphate (68333-79-9)

Listed on the Canadian DSL (Domestic Substances List)

Titanium dioxide (13463-67-7)

Listed on the Canadian DSL (Domestic Substances List)

15.2. International regulations

Ammonium polyphosphate (68333-79-9)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on Turkish inventory of chemical

Titanium dioxide (13463-67-7)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on Turkish inventory of chemical

SECTION 16: Other information

Date of issue : 13 August 2018

Other information : None.

Full text of H-statements:

 tone of the distantantial			
H302	Harmful if swallowed.		
H320	Causes eye irritation		
H351	Suspected of causing cancer.		

Abbreviations and acronyms:

٥. ٥	viationio ana aoron	iyino.
		PVC (Polyvinyl chloride).

SDS Canada (GHS)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

13 August 2018 6/6